




# Price list 2024 Briza Net Zero

THE FUTURE OF HEATING & COOLING



# BRIZA XS NET ZERO BASE-LINE PLUG & PLAY TPT WALL MOUNTED MODEL



## ORDER CODE

BNZW 052	086	XS	XXX	L	BL	D01
						Connection: Standard: L Optional: R
						Casing colour
						Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- Low-H<sub>2</sub>O heat exchanger
- condensation tray with drain
- tangential EC fan(s)
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Control panel (temperature regulation)**

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height H cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZW 052	086	XS	10	137	326	201	<b>662</b>
	122			274	651	401	<b>788</b>
	163			430	1022	630	<b>1051</b>
	199			566	1348	831	<b>1209</b>

# BRIZA XS NET ZERO BASE-LINE PLUG & PLAY JIC WALL MOUNTED MODEL

UNDER DEVELOPMENT



## ORDER CODE

BNZW 052 086 XS XXX L BL J01

Connection: Standard: L  
Optional: R  
Casing colour  
Length

height LENGTH TYPE	CONTROL VOLTAGE	COOLING (non-condensing) Room temperature 27°C	COOLING TOTAL Room temperature 27°C	HEATING Room temperature 20°C	PRICE
H L cm cm	U V	16/18 Watts	7/12 Watts	35/30 Watts	€
<b>BNZW 052 086 XS</b>	<b>10</b>	137	326	201	<b>672</b>
<b>122</b>		274	651	401	<b>798</b>
<b>163</b>		430	1022	630	<b>1061</b>
<b>199</b>		566	1348	831	<b>1219</b>

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- Low-H<sub>2</sub>O heat exchanger
- condensation tray with drain
- tangential EC fan(s)
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Jaga App**

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA XS NET ZERO BASE-LINE PLUG & PLAY JIC CEILING MOUNTED MODEL

UNDER DEVELOPMENT



## ORDER CODE

BNZC 053 086 XS XXX X L BL J01

Connection: Standard: L  
Optional: R

Back panel colour: Jet black (104) : B  
Traffic white (133): W

Casing colour

Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- Low-H<sub>2</sub>O heat exchanger
- condensation tray with drain
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	222

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

Width B cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZC 053 086 XS			10	137	326	201	750
	122			274	651	401	884
	163			430	1022	630	1167
	199			566	1348	831	1331




# BRIZA S NET ZERO BASE-LINE PLUG & PLAY TPT WALL MOUNTED MODEL



## ORDER CODE

BNZW 056 075 OS XXX L BL D01



Connection: Standard: L  
Optional: R  
Casing colour  
Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan(s)
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Control panel (temperature regulation)**

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height LENGTH TYPE	CONTROL VOLTAGE	COOLING (non-condensing) Room temperature 27°C	COOLING TOTAL Room temperature 27°C	HEATING Room temperature 20°C	PRICE
H L cm cm	U V	16/18 Watts	7/12 Watts	35/30 Watts	€
<b>BNZW 056 075 S</b>	<b>10</b>				
<b>110</b>		376	884	478	<b>886</b>
<b>155</b>		752	1768	955	<b>1099</b>
<b>190</b>		1180	2775	1499	<b>1508</b>
		1556	3659	1977	<b>1727</b>

# BRIZA S NET ZERO BASE-LINE PLUG & PLAY JIC WALL MOUNTED MODEL

UNDER DEVELOPMENT



## ORDER CODE

BNZW 056 075 OS XXX L BL J01

Connection: Standard: L

Optional: R

Casing colour

Length

height H cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZW 056 075		S	10	376	884	478	896
110				752	1768	955	1109
155				1180	2775	1499	1518
190				1556	3659	1977	1737

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan(s)
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Jaga App**

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	222

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA S NET ZERO BASE-LINE PLUG & PLAY JIC CEILING MOUNTED MODEL

UNDER DEVELOPMENT



## ORDER CODE

BNZC 058 090 OS XXX X L BL J01

Connection: Standard: L  
Optional: R  
Back panel colour: Jet black (104) : B  
Traffic white (133): W  
Casing colour  
Length

Width B cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZC 058 090	S		10	376	884	478	911
125				752	1768	955	1131
170				1180	2775	1499	1488
205				1556	3659	1977	1746

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel
- condensation tray with drain (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour €  
222

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)





# BRIZA M NET ZERO BASE-LINE PLUG & PLAY TPT WALL MOUNTED MODEL



## ORDER CODE BRIZA M PLUG & PLAY

BNZW 042 075 OM XXX 2 L BL D01

Connection: Standard: L  
 Optional: R  
 Casing colour  
 Length  
 Height

### STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan with stainless steel air filter
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Control panel (temperature regulation)**

### CASING

#### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

#### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	222

### BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

### AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

### OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height H cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C Watts	COOLING TOTAL Room temperature 27°C Watts	HEATING Room temperature 20°C Watts	PRICE €
BNZW 042 075	M	10	10	214	503	413	904
	095			352	828	680	937
	125			559	1314	1081	1161
	145			698	1640	1347	1231
056 075	M	10	10	332	781	641	956
	095			550	1294	1060	1033
	125			877	2062	1690	1282
	145			1095	2575	2110	1394

# BRIZA M NET ZERO BASE-LINE PLUG & PLAY JIC WALL MOUNTED MODEL

**UNDER DEVELOPMENT**



## ORDER CODE BRIZA M PLUG & PLAY

BNZW 042 075 OM XXX 2 L BL J01

Connection: Standard: L  
Optional: R

Casing colour

Length

Height

height	LENGTH	TYPE	CONTROL VOLTAGE	COOLING (non-condensing) Room temperature 27°C	COOLING TOTAL Room temperature 27°C	HEATING Room temperature 20°C	PRICE
H	L		U	16/18	7/12	35/30	€
cm	cm		V	Watts	Watts	Watts	
<b>BNZW 042 075</b>	<b>M</b>	<b>10</b>		214	503	413	<b>914</b>
<b>095</b>				352	828	680	<b>947</b>
<b>125</b>				559	1314	1081	<b>1171</b>
<b>145</b>				698	1640	1347	<b>1241</b>
<b>056 075</b>	<b>M</b>	<b>10</b>		332	781	641	<b>966</b>
<b>095</b>				550	1294	1060	<b>1043</b>
<b>125</b>				877	2062	1690	<b>1292</b>
<b>145</b>				1095	2575	2110	<b>1404</b>

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain (supplied with insulation)
- tangential EC fan with stainless steel air filter
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Jaga App**

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour €  
**222**

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA M NET ZERO **BASE-LINE PLUG & PLAY TB** WALL MOUNTED MODEL



## ORDER CODE BRIZA M PLUG & PLAY

BNZW 042 075 OM XXX 2 L BL F01 TB

Connection: Standard: L  
Optional: R

Casing colour

Length

Height

### STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan with stainless steel air filter
- **integrated 230V power supply**
- **pre-assembled connection set**
- **Wi-Fi thermostat (black) with touchscreen**

### CASING

#### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

#### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

### BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

### AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

### OUTPUTS

Output measured in accordance with EN 16430.


The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height LENGTH TYPE	CONTROL VOLTAGE	COOLING (non-condensing) Room temperature 27°C	COOLING TOTAL Room temperature 27°C	HEATING Room temperature 20°C	PRICE
H L cm cm	U V	16/18 Watts	7/12 Watts	35/30 Watts	€
<b>BNZW 042 075 M</b>	<b>10</b>	214	503	413	<b>1112</b>
<b>095</b>		352	828	680	<b>1140</b>
<b>125</b>		559	1314	1081	<b>1364</b>
<b>145</b>		698	1640	1347	<b>1435</b>
<b>056 075 M</b>	<b>10</b>	332	781	641	<b>1164</b>
<b>095</b>		550	1294	1060	<b>1236</b>
<b>125</b>		877	2062	1690	<b>1485</b>
<b>145</b>		1095	2575	2110	<b>1598</b>

# BRIZA M NET ZERO BASE-LINE PLUG & PLAY JIC CEILING MOUNTED MODEL

UNDER DEVELOPMENT



## ORDER CODE

BNZC 042 075 OM XXX X 2 L BL J01

Connection: Standard: L  
Optional: R

Back panel colour: Jet black (104) : B  
Traffic white (133): W

Casing colour

Length

Width

Width B cm	LENGTH L cm	TYPE	2-PIPE / 4-PIPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
<b>BNZC 042 075</b>		<b>M</b>	<b>2</b>	<b>10</b>	214	503	413	<b>939</b>
<b>095</b>					352	828	680	<b>980</b>
<b>125</b>					559	1314	1081	<b>1195</b>
<b>145</b>					698	1640	1347	<b>1291</b>
<b>056 075</b>		<b>M</b>	<b>2</b>	<b>10</b>	332	781	641	<b>993</b>
<b>095</b>					550	1294	1060	<b>1080</b>
<b>125</b>					877	2062	1690	<b>1323</b>
<b>145</b>					1095	2575	2110	<b>1467</b>

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain (supplied with insulation)
- tangential EC fan with stainless steel air filter

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
On/off: D07	<b>91</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA XS NET ZERO BASE-LINE WALL MOUNTED MODEL



height LENGTH TYPE	CONTROL VOLTAGE	COOLING (non-condensing) Room temperature 27°C	COOLING TOTAL Room temperature 27°C	HEATING Room temperature 20°C	PRICE
H L cm cm	U V	16/18 Watts	7/12 Watts	35/30 Watts	€
<b>BNZW 052 086 XS</b>	<b>10</b>				
<b>122</b>		137	326	201	<b>462</b>
<b>163</b>		274	651	401	<b>588</b>
<b>199</b>		430	1022	630	<b>851</b>
		<b>566</b>	<b>1348</b>	<b>831</b>	<b>1009</b>

## ORDER CODE

BNZW 052	086	XS	XXX	L	BL	DDD
						Control:
						- No Control system: (leave blank)
						- Jaga BMS 0-10V Control: D03
						- Jaga 3 settings controller: D05
						Connection: Standard: L
						Optional: R
						Casing colour
						Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- Low-H<sub>2</sub>O heat exchanger
- condensation tray with drain
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
Jaga 3 settings controller:D05	<b>109</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA XS NET ZERO BASE-LINE CEILING MOUNTED MODEL



Width <b>B</b> cm	LENGTH <b>L</b> cm	TYPE	CONTROL VOLTAGE <b>U</b> V	COOLING (non-condensing) Room temperature 27°C <b>16/18</b> Watts	COOLING TOTAL Room temperature 27°C <b>7/12</b> Watts	HEATING Room temperature 20°C <b>35/30</b> Watts	PRICE <b>€</b>
<b>BNZC 053 086 XS</b>			<b>10</b>	137	326	201	<b>540</b>
	<b>122</b>			274	651	401	<b>674</b>
	<b>163</b>			430	1022	630	<b>957</b>
	<b>199</b>			566	1348	831	<b>1121</b>

## ORDER CODE

BNZC 053 086 XS XXX X L BL DDD

### Control:

- No Control system: (leave blank)
- Jaga BMS 0-10V Control: D03
- On/off: D07

Connection: Standard: L

Optional: R

Back panel colour: Jet black (104) : B

Traffic white (133): W

Casing colour

Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- Low-H<sub>2</sub>O heat exchanger
- condensation tray with drain
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

<b>Extra cost different colour</b>	<b>€</b>
	<b>222</b>

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## CONTROL

<b>Surcharge Control systems</b>	<b>€</b>
Jaga BMS 0-10V Control: D03	<b>91</b>
On/off: D07	<b>91</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA S NET ZERO **BASE-LINE** WALL MOUNTED MODEL



## ORDER CODE

BNZW 056 075 OS XXX L BL DDD

- Control:
  - No Control system: (leave blank)
  - Jaga BMS 0-10V Control: D03
  - Jaga 3 settings controller: D05
- Connection: Standard: L  
Optional: R
- Casing colour
- Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
Jaga 3 settings controller:D05	<b>109</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height H cm	LENGTH L cm	TYPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZW 056	075	S	10	376	884	478	<b>686</b>
	110			752	1768	955	<b>899</b>
	155			1180	2775	1499	<b>1308</b>
	190			1556	3659	1977	<b>1527</b>



# BRIZA S NET ZERO **BASE-LINE** CEILING MOUNTED MODEL



Width <b>B</b> cm	LENGTH <b>L</b> cm	TYPE	CONTROL VOLTAGE <b>U</b> V	COOLING (non-condensing) Room temperature 27°C <b>16/18</b> Watts	COOLING TOTAL Room temperature 27°C <b>7/12</b> Watts	HEATING Room temperature 20°C <b>35/30</b> Watts	PRICE <b>€</b>
<b>BNZC 58</b>	<b>090</b>	<b>S</b>	<b>10</b>	376	884	478	<b>701</b>
	<b>125</b>			752	1768	955	<b>921</b>
	<b>170</b>			1180	2775	1499	<b>1278</b>
	<b>205</b>			1556	3659	1977	<b>1536</b>

## ORDER CODE

BNZC	058	090	OS	XXX	X	L	BL	DDD
								Control:
								- No Control system: (leave blank)
								- Jaga BMS 0-10V Control: D03
								- On/off: D07
								Connection: Standard: L
								Optional: R
								Back panel colour: Jet black (104) : B
								Traffic white (133): W
								Casing colour
								Length

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel
- condensation tray with drain (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- tangential EC fan(s)

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
On/off: D07	<b>91</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA M NET ZERO BASE-LINE WALL MOUNTED MODEL



## ORDER CODE

BNZW 042 075 OM XXX 2 L BL DDD

- Control:
  - No Control system: (leave blank)
  - Jaga BMS 0-10V Control: D03
  - Jaga 3 settings controller: D05
- Connection: Standard: L  
Optional: R
- Casing colour
- Length
- height

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain
- tangential EC fan with stainless steel air filter

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

jet black (104), soft touch lightly structured satin powder coating

## AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
Jaga 3 settings controller:D05	<b>109</b>

## OUTPUTS


Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

height H cm	LENGTH L cm	TYPE	2-PIPE / 4-PIPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
<b>BNZW 042 075</b>	<b>M</b>	<b>2</b>	<b>10</b>		214	503	413	<b>704</b>
<b>095</b>					352	828	680	<b>737</b>
<b>125</b>					559	1314	1081	<b>961</b>
<b>145</b>					698	1640	1347	<b>1031</b>
<b>056 075</b>	<b>M</b>	<b>2</b>	<b>10</b>		332	781	641	<b>756</b>
<b>095</b>					550	1294	1060	<b>833</b>
<b>125</b>					877	2062	1690	<b>1082</b>
<b>145</b>					1095	2575	2110	<b>1194</b>

# BRIZA M NET ZERO BASE-LINE CEILING MOUNTED MODEL



## ORDER CODE

BNZC 042 075 OM XXX X 2 L BL DDD

Control:  
 - No Control system : (leave blank)  
 - Jaga BMS 0-10V Control: D03  
 - On/off: D07

Connection: Standard: L  
 Optional: R

Back panel colour: Jet black (104): B  
 Traffic white (133): W

Casing colour

Length

Width

Width B cm	LENGTH L cm	TYPE	2-PIPE / 4-PIPE	CONTROL VOLTAGE U V	COOLING (non-condensing) Room temperature 27°C 16/18 Watts	COOLING TOTAL Room temperature 27°C 7/12 Watts	HEATING Room temperature 20°C 35/30 Watts	PRICE €
BNZC 042	075	M	2	10	214	503	413	<b>729</b>
	095				352	828	680	<b>770</b>
	125				559	1314	1081	<b>985</b>
	145				698	1640	1347	<b>1081</b>
056	075	M	2	10	332	781	641	<b>783</b>
	095				550	1294	1060	<b>870</b>
	125				877	2062	1690	<b>1113</b>
	145				1095	2575	2110	<b>1257</b>

## STANDARD DELIVERY:

- coated casing made from Sendzimir galvanised steel sheet
- coated back panel made from Sendzimir galvanised sheet steel
- coated aluminium air outlet vent with honeycomb grille coated jet black
- robust interior made from electro-galvanised steel premounted to the back panel (supplied with insulation)
- aluminium-copper heat exchanger with hydrophilic coating
- condensation tray with drain (supplied with insulation)
- tangential EC fan with stainless steel air filter

## CASING

### Standard colours

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lak
- off-black (145), soft touch lightly-textured satin lacquer

### OTHER COLOURS

see Jaga colour chart

Extra cost different colour	€
	<b>222</b>

## BACK PANEL

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- jet black (104), soft touch lightly structured satin powder coating

## AIR OUTLET VENT

jet black (104), soft touch lightly structured satin powder coating

## CONTROL

Surcharge Control systems	€
Jaga BMS 0-10V Control: D03	<b>91</b>
On/off: D07	<b>91</b>

## OUTPUTS

Output measured in accordance with EN 16430.

The published outputs correspond with the maximum powers at 10 V.

You can check the power at different Control voltages by visiting [netzero.jaga.com](http://netzero.jaga.com)

# BRIZA NET ZERO **BASE-LINE** OPTIONS

## CONNECTION POSSIBILITIES

### SET 289

Kv 0.1 - 0.6 m<sup>3</sup>/h at Δp = 1 bars  
KVS 0.8  
Two pipe



CODE	Thermostatic head	€
CODY B18 10 4...	0..10 VDC	<b>184</b>
CODY B18 23 4...	23 (230 VAC)	<b>103</b>
CODY B18 24 4...	24 (24 VDC)	<b>103</b>

Enter the Eurocone sleeve coupling code

### SET 288

Kv 1.65  
Two pipe



CODE	€
CODY LO1 00 4...	<b>25</b>

Enter the Eurocone sleeve coupling code

### SET 295

Kv 0.1 - 0.6 m<sup>3</sup>/h at Δp = 1 bars  
KVS 0.8  
Two pipe



CODE	Thermostatic head	€
CODY SC5 24 4...	24 (24 VDC)	<b>115</b>
CODY SC5 23 4...	23 (230 VAC)	<b>115</b>

Enter the Eurocone sleeve coupling code

### SET 290

Kv 0.15 - 1.35 m<sup>3</sup>/h at Δp = 1 bars



CODE	Thermostatic head	€
CODY LOC 00 4...		<b>57</b>

Enter the Eurocone sleeve coupling code

### STAINLESS STEEL FLEXIBLE CONNECTIONS 1/2"



CODE	Length	€/2 units
7990 068	200 < 260 mm	<b>107</b>

Briza XS Wall mounted model  
Briza XS Ceiling mounted model  
Briza S Wall mounted model  
Briza S Ceiling mounted model  
Briza M Wall mounted model  
Briza M Ceiling mounted model

• • • •  
• • • •  
• • • •

• • • •

• •  
• •

• •

• • • • • •

CONDENSATION SOLUTIONS

CONDENSATE PUMP



CODE	€
8773 0101	<b>254</b>
BZNC HHH LLL TT XXX B L BL DDD <b>C</b> pre-mountend	<b>300</b>

Add "**C**" to the order code. ex. BNZW 052 086 XS 133 L BL D03 **C**

POWER SUPPLIES

24 VDC POWER SUPPLY WITH CABLE GLAND

Waterproof power supply 24 VDC with waterproof cable gland.

Output: 40 Watts

Output current: 1.67 A



CODE	€
37603 010002	<b>78</b>
BNZW HHH LLL TT XXX L BL DDD <b>P</b> pre-mountend	<b>88</b>

Add "**P**" to the order code: ex. BNZW 042 075 0M 133 L BL D03 **P**

POWER SUPPLY DIN-RAIL ASSEMBLY



CODE	L <i>mm</i>	OUTPUT <i>Watts</i>	OUTPUT CURRENT <i>A</i>	€
7990 054	3.5	36	1.50	<b>38</b>
7990 055	5.3	60	2.50	<b>51</b>
7990 056	7.0	92	3.90	<b>74</b>
7990 057	10.3	150	6.25	<b>115</b>

Briza XS Wall mounted model	Briza XS Ceiling mounted model	Briza S Wall mounted model	Briza S Ceiling mounted model	Briza M Wall mounted model	Briza M Ceiling mounted model
	•				
		•			
			•		
				•	
					•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•

# THERMOSTATS

JRT-100 TB / TW   



		€
8751 050019	Black (TB)	140
8751 050017	White (TW)	140

Wi-Fi thermostat with touchscreen and app

JRT-100   



		€
8751 050012		85

Jaga clock thermostat for recessed/panel mounting

JRT-200   



		€
8751 050013		81

Jaga clock thermostat for wall mounting

RDG 160T   



		€
8751 050009		266

Siemens clock thermostat RDG 160T for wall mounting

RDG 264KN   



		€
8751 050018		735

Siemens clock thermostat RDG 264KN for wall mounting.  
SUITABLE FOR BRIZA, COMBINED WITH AIR EXCHANGER BOX.  
Integrated CO2-sensor.

BRIZA XS

BRIZA S

BRIZA M

• • •  
• • •

• • •

• • •

• • •

• • •





**jaga**

CLIMATE  
DESIGNERS

JAGA INTERNATIONAL JAGA NV

In need of some advice? Make an appointment at  
the Jaga Advice Centre.

Verbindingslaan 16  
3590 Diepenbeek

+32 (0) 11 29 41 11

info@jaga.be  
netzero.jaga.com